




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis


NAD+ 1000 mg

Report To:
Nolli Designs

Compound: NAD+
Quantity: 1000 mg
Laboratory ID: V260604-34 002
Lot Number: 00001
Date Reported: 6/11/2026



Analysis	Method	Result
Chromatographic Purity (Total)	HPLC-UV/VIS	>99.80% $\pm$ 0.18%
Chromatographic Purity (NAD+)	HPLC-UV/VIS	97.26% $\pm$ 0.18%
Chromatographic Purity (Nicotinamide)	HPLC-UV/VIS	2.73% $\pm$ 0.18%
Quantity: NAD+	HPLC-UV/VIS	1151 mg



Report By: Dustin Newman, Laboratory Director on 6/11/2026

Approved By: Tori Johnson, Operations Manager on 6/11/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.